

# Safety Data Sheet

Portland Cement - Dry Powder Blend

**QUICK IDENTIFIER** (See Section 1 Product Name)

## SECTION 1- IDENTIFICATION OF PRODUCT AND COMPANY

<b>Product:</b>	Export NeoSlurry & NeoSuperSlurry Systems, P/Ns: E0105-350-017, E0105-450-017 & E0105-300-017		
<b>Application:</b>	5 gallon batch of cement slurry for dump bailers		
<b>Manufacturer's name:</b>	NeoProducts, LLC		
<b>Address:</b>	1201 Dealers Ave.	<b>Emergency Telephone #:</b>	504-731-1011
<b>City, State, Zip:</b>	Harahan, LA 70123	<b>e-mail:</b>	<a href="mailto:info@NeoProducts.net">info@NeoProducts.net</a>
<b>Signature of person responsible for preparation (Optional):</b>	<b>After hours calls will be answered by answering service.</b>		
	<b>Date Prepared:</b>	August 2015	

## SECTION 2- HAZARD IDENTIFICATION

<b>Fire:</b>	This preparation is not flammable.
<b>Health:</b>	Potentially hazardous during normal handling and use as instructed.
<b>Environment:</b>	No known hazards.
<b>Other Hazards:</b>	<p><b>CAUTION! – ACUTE HEALTH HAZZARD</b> This dry powder blend contains crystalline silica and quartz. May cause eye and respiratory irritation.</p> <p><b>DANGER! – CHRONIC HEALTH HAZZARD</b> This dry powder blend contains crystalline silica and quartz. Breathing crystalline silica can cause lung disease including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.</p> <p>This product contains quartz, cristobalite, and/or tridymite, which may become airborne without a visible cloud. Use only with adequate ventilation to keep exposures below recommended exposure limits. Wear a NIOSH certified, European Standard EN 149 or equivalent respirator when using this product. Review the Material Safety Data Sheet (MSDS) for this product, which has been provided to your employer.</p>



**Pictograms:**

**SIGNAL WORD:**.....DANGER!

**GHS HAZARD AND PRECAUTIONARY STATEMENTS:**

H303 H313 H333: May be harmful if swallowed, in contact with skin or if inhaled

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+270+280+281: Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

**SECTION 3- COMPOSITION/INFORMATION ON INGREDIENTS**

Component(s) [chemical and common name(s)]	% OPT.	Average (inhalable dust)	Average (respirable dust)	CAS No.
Portland Cement #2104	60.0 – 65.0 wgt %	10.0 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>	65997-15-1
Silica Sand #2162	30.0 – 35.0 wgt %	0.3mg/m <sup>3</sup>	N/A	14808-60-6
Magnesium Oxide #2151	0 – 6.0 wgt %	10.0mg/m <sup>3</sup>	4mg/m <sup>3</sup>	1309-48-4
Suspension Agent #2099	0.50 – 3.0 wgt %	N/A	N/A	103115-52-2
Friction Reducer #2105	0.25 wgt %	N/A	N/A	9084-06-4
Cement Slurry Retarder #2117	1.0 – 4.0 wgt %	N/A	N/A	8061-51-6
<b>Symbol(s):</b>	<b>Xi, Xn</b>			
<b>Risk Phrases:</b>	<b>R36, R37, R38, R40</b>			
<b>Safety Phrases:</b>	<b>S22, S25, S36/37/39, S38</b>			

## SECTION 4- FIRST AID MEASURES

<b>Inhalation:</b>	Remove from area to fresh air.
<b>Ingestion:</b>	First aid procedures are not required.
<b>Skin:</b>	Wash with soap and water.
<b>Eyes:</b>	Flush with plenty of water for at least 15 minutes.

## SECTION 5- FIRE FIGHTING MEASURES

<b>Extinguishing media:</b>	Product does not burn.
<b>Special fire fighting precautions:</b>	None. Product does not burn.
<b>Unusual fire and explosion hazards:</b>	No fire hazards.

## SECTION 6- ACCIDENTAL RELEASE MEASURES

<b>Personal precautions:</b>	Wear dust/mist respirator, work gloves and dust proof goggles.
<b>Environmental:</b>	No environmental hazards reported.
<b>Spillage:</b>	Use protective equipment, avoid creating or inhaling dust, sweep up and attempt to reuse product if not contaminated. Prevent entry into drains, sewers and watercourses.

## SECTION 7- HANDLING AND STORAGE

Avoid contact with skin and eyes. Wear Approved work gloves, dust proof goggles and dust/mist respirator. Avoid creating dust. Store in dry location in original container. Use only as instructed.

## SECTION 8- EXPOSURE CONTROLS/ PERSONAL PROTECTION

<b>Engineering controls:</b>	Use in well ventilated area.
<b>Respiratory protection:</b>	Use approved dust/mist respirator.
<b>Hand protection:</b>	Use normal work gloves.
<b>Skin protection:</b>	Normal work coveralls.
<b>Eye protection:</b>	Use dust proof goggles.

## SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b> Solid	<b>Color:</b> Gray	<b>Odor:</b> Odorless	<b>PH:</b> Not Determined	<b>Reactivity in Water:</b> N/A
<b>Vapor Density (Air=1):</b> Not Determined	<b>Solubility in Water (g/100ml):</b> 0.5	<b>Vapor Pressure (mm HG):</b> Not Determined	<b>Specific Gravity @ 20°C (H<sub>2</sub>O=1):</b> 3.15	<b>Flammable Limits in Air% by Volume:</b> Not Determined
<b>Flash Point:</b> Not Determined	<b>LEL Lower:</b> N/A	<b>LEL Upper:</b> N/A	<b>Melting Point:</b> N/A	<b>Boiling Point:</b> Not Determined

## SECTION 10- STABILITY AND REACTIVITY

<b>Stability Data:</b> Stable	<b>Hazardous Polymerization:</b> Will not occur	<b>Conditions to avoid:</b> Avoid contact with water	<b>Incompatibility (Materials to avoid):</b> None known	<b>Hazardous Decomposition or Byproducts:</b> None known
----------------------------------	--	---	--	---

## SECTION 11- TOXICOLOGICAL INFORMATION

<b>Principle route of exposure:</b>	Eye or Skin contact, Inhalation.
<b>Inhalation:</b>	<p>This dry powder blend contains crystalline silica and quartz. Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).</p> <p>This dry powder blend contains crystalline silica and quartz. Breathing silica dust may cause irritation of the nose, throat and respiratory passages. Breathing silica may cause noticeable injury or illness even through permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects / Carcinogenicity" subsection below).</p>
<b>Skin Contact:</b>	Wet cement can dry skin and cause Alkali burns.
<b>Eye Contact:</b>	Dust can irritate eyes.
<b>Ingestion:</b>	No harmful affects known.
<b>Medical conditions aggravated by exposure:</b>	Dermatitis
<b>Chronic effects/ Carcinogenicity:</b>	<p>Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling and sometime-fatal lung disease called silicosis. Symptoms include cough, shortened of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.</p> <p>Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 – carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A – possible carcinogen to humans). Refer to <a href="#">IARC Monograph 68, Silica, Some Silicates and Organic Fibers</a> (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9<sup>th</sup> Report of Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).</p> <p>There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.</p>
<b>Other Information</b>	This dry powder blend contains quartz, crystalline, silica and quartz. For further information consult "Adverse Effects of Crystalline Silica Exposure" published by the American Journal of Respiratory and Critical Care Medicine, Volume 155, pages 71-768 (1997).
<b>Toxicity Tests/ Carcinogenicity:</b>	This dry powder blend contains quartz, crystalline, silica and quartz. Refer to <a href="#">IARC Monograph 68, Silica, Some Silicates and Organic Fibers</a> (June 1997).

## SECTION 12- ECOLOGICAL INFORMATION

<b>Mobility (water/air/soil):</b>	Not Determined
<b>Persistence/ Degradability:</b>	Not Applicable
<b>Bio-Accumulation:</b>	Not Determined
<b>Aquatic Toxicity:</b>	Not Determined

## SECTION 13- DISPOSAL CONSIDERATIONS

<b>Disposal Method:</b>	Consult Federal, State or Local regulations.
<b>Contaminated Packaging:</b>	Follow all applicable national or local regulations.

## SECTION 14- TRANSPORT INFORMATION

<b>NO SPECIAL PRECAUTIONS NECESSARY</b>
---

## SECTION 15- REGULATORY INFORMATION

<b>Hazardous Ingredients:</b>	None
<b>Symbol(s):</b>	Xi , Xn
<b>Risk Phrases:</b>	
<b>R36</b>	Irritating to eyes.
<b>R37</b>	Irritating to Respiratory System.
<b>R38</b>	Irritating to Skin.
<b>R40</b>	Limited evidence of a carcinogenic effect. (Lab test results on silica sand have shown limited evidence of a carcinogenic effect.)
<b>Safety Phrases:</b>	
<b>S22</b>	Do not breathe dust.
<b>S25</b>	Avoid contact with eyes.
<b>S36/37/39</b>	Wear suitable protective clothing, gloves, and eye/face protection.
<b>S38</b>	In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 16- ADDITIONAL INFORMATION

Please read the Safety Data Sheet before using this or any NeoProducts items. This product is intended for the stated application only. Do not use this product for any other application without first obtaining guidance from an approved NeoProducts employee beforehand.

If this product is for resale, make sure the purchaser receives a copy of this safety data sheet upon acceptance of this preparation. Make sure the employees of your company are aware of the hazards, both chronic and acute, before allowing them to use this product.

The information contained in this Safety Data Sheet is believed to be correct and reflects our best professional judgment. Because it is impossible to anticipate every condition under which this product will be used, this Safety Data Sheet shall only be used as a guide. It is imperative that each user of this product determines its suitability for his particular application and comply with all environmental and workplace regulations.

HMIS:

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>REACTIVITY</b>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<b>B</b>

\*HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

**REVISION STATEMENT:** Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

**DISCLAIMER:**

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.**

\*\*\*This is the last page of this SDS\*\*\*