

Safety Data Sheet

Neo Salt Saturation Modifier Pack 0104-350-017

QUICK IDENTIFIER (See Section 1)

SECTION 1- IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the Substances or Preparation

Product:	Neo Salt Saturation Modifier Pack, P/N 0104-350-017		
Synonyms:	None		
Chemical Family:	Blend of Lignosulfonate and polymers		
Application:	Blend of cement retarder, fluid loss additive, and cement dispersant to be mixed with cement slurry and used in salt saturated brine wells		
Manufacturer's name:	NeoProducts, LLC		
Address:	1201 Dealers Ave.	Emergency Telephone #:	504-731-1011
City, State, Zip:	Harahan, LA 70123	e-mail:	info@NeoProducts.net
Signature of person responsible for preparation (Optional):	JV Carisella	After hours calls will be answered by answering service.	
		Date Prepared:	January 2012

SECTION 2- HAZARD IDENTIFICATION

Risk Phrases:	N/A
Hazard Overview:	May cause eye and respiratory irritation. Airborne dust may be explosive.

SECTION 3- COMPOSITION/INFORMATION ON INGREDIENTS

Component(s) [chemical and common name(s)]	% OPT.	Time Weighted Average (inhalable dust)	Time Weighted Average (respirable dust)	CAS No.
Cement Slurry Retarder, DTI #2117	10.0 – 16.0 wt %	N/A	N/A	8061-51-6
Suspension Agent, DTI #2099	0.5 – 4.0 wgt %	N/A	N/A	
Sodium Chloride	70.0 – 85.0 wt %	N/A	N/A	
Friction Reducer, DTI #4244	0.5 – 4.0 wgt %	N/A	N/A	9084-06-4

SECTION 4- FIRST AID MEASURES

Inhalation:	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion:	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
Skin:	Wash with soap and water.
Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Notes to physician	N/A

SECTION 5- FIRE FIGHTING MEASURES

Suitable Extinguishing media:	Water fog, carbon dioxide, foam, dry chemical.
Unsuitable Extinguishing media:	None known.
Special Exposure Hazards:	Decomposition in fire may produce toxic gases. Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.
Special protective equipment for fire-fighters:	Full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece required for fire fighting personnel.

SECTION 6- ACCIDENTAL RELEASE MEASURES

Personal precautionary measures:	Use appropriate protective equipment.
Environmental precautionary measures:	None known.
Procedure for cleaning/absorption:	Scoop up and remove.

SECTION 7- HANDLING AND STORAGE

Handling precautions:	Avoid contact with skin and eyes. Avoid creating or inhaling dust. Avoid dust accumulations.
Storage Information:	Keep container closed when not in use. Keep from freezing. Product has a shelf life of 24 months.

SECTION 8- EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering controls:	Use in a well ventilated area.
Respiratory protection:	Not normally necessary.
Hand protection:	Use normal work gloves.
Skin protection:	Normal work coveralls.
Eye protection:	Chemical goggles; also wear a face shield if splashing hazard exists.
Other precautions:	None known.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder	Color: Brown	Odor: Slight	PH : 5.0 (+/-1) @ 10 %	Molecular Weight (g/mole): Not Determined
Vapor Density (Air=1): Not Determined	Decomposition Temperature (C): Not Determined	Vapor Pressure @ 20 C (mm HG): Not Determined	Specific Gravity @ 20°C (H₂O=1): 0.55	Percent volatiles : Not Determined

Flash Point/Range (C): Not Determined	Flash Point Method: Not Determined	Pour point/Range (C): Not Determined	Freezing Point/Range (C): >130	Boiling Point/Range (C): Not Determined
Density @ 20°C (kg/l): Not Determined	Bulk Density @ 20°C (kg/m³): 550	Autoignition temperature (C): >150	Flammable Limits in Air – Lower (g/m³): Not Determined	Flammable Limits in Air – Lower (%): Not Determined
Flammable Limits in Air – Upper (g/m³): Not Determined	Flammable Limits in Air – Upper (%): Not Determined	Evaporation Rate (Butyl Acetate=1): Not Determined	Solubility in Water (g/100ml): Soluble	Solubility in Solvents (g/100ml): Not Determined
VOCs (g/l): Not Determined	Viscosity, Dynamic @ 20 C (centipoise): Not Determined	Viscosity, Kinematic @ 20 C (centistokes): Not Determined	Partition Coefficient/n-Octanol/Water: Not Determined	

SECTION 10- STABILITY AND REACTIVITY

Stability Data: Stable	Hazardous Polymerization: Will not occur	Conditions to avoid: None known	Incompatibility (Materials to avoid): Strong oxidizers	Hazardous Decomposition or Byproducts: Oxides of sulfur. Carbon monoxide and carbon dioxide.	Additional Guidelines: N/A
----------------------------------	--	---	--	--	--------------------------------------

SECTION 11- TOXICOLOGICAL INFORMATION

Principle route of exposure:	Eye or skin contact, inhalation.
Inhalation:	None known.
Skin Contact:	Not irritating to skin in rabbits.
Eye Contact:	May cause mild eye irritation.
Ingestion:	None known.
Medical conditions aggravated by exposure:	None known.
Chronic effects/ Carcinogenicity:	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Other Information	None known.
Toxicity Tests:	
Oral Toxicity:	LD50: > 15000 mg/kg (Rat)
Dermal Toxicity:	Not Determined
Inhalation Toxicity:	Not Determined
Primary Irritation Effect:	Not Determined

Carcinogenicity:	Not Determined
Genotoxicity:	Not Determined
Reproductive/Developmental Toxicity:	Not Determined

SECTION 12- ECOLOGICAL INFORMATION

Mobility (water/air/soil):	Not Determined
Persistence/ Degradability:	Inherently biodegradable.
Bio-Accumulation:	N/A
Ecotoxicological Information:	
Acute Fish Toxicity:	Not classified as toxic to fish (OECD 203)
Acute Crustaceans Toxicity:	TLM96: > 3300 ppm (Crangon crangon)
Acute Algae Toxicity:	Not Determined
Chemical Fate Information:	Not Determined
Other Information:	N/A

SECTION 13- DISPOSAL CONSIDERATIONS

Disposal Method:	Bury in a licensed landfill according to local regulations.
Contaminated Packaging:	Follow all applicable national or local regulations.

SECTION 14- TRANSPORT INFORMATION

Land Transportation: ADR – Not restricted
Air Transportation: ICAO/IATA – Not restricted
Sea Transportation: IMDG – Not restricted
Other Shipping Information: Labels: None

SECTION 15- REGULATORY INFORMATION

EC Supply labeling Requirements:	This product is not subject to the labeling requirements of EC Directives 67/548/EEC and 88/379/EEC as amended.
Classification:	Not classified
Risk Phrases:	None.
Safety Phrases:	None.
EINECS inventory	This product, and all its components, complies with EINECS
Germany, Water Endangering Classes (WGK)	WGK 1: Low hazard to waters.

SECTION 16- ADDITIONAL INFORMATION:

This product is intended for the stated application only. Do not use this product for any other applications without first obtaining guidance from an approved NeoProducts representative, beforehand.

If this product is for resale, make sure the purchaser receives a copy of this safety data sheet upon acceptance of this preparation. Make sure the employees of your company are aware of the hazards, both chronic and acute, before allowing them to use this product.

The information contained in this Material Safety Data Sheet is believed to be correct and reflects our best professional judgment. Because it is impossible to anticipate every condition under which this product will be used, this Material Safety Data Sheet shall only be used as a guide. It is imperative that each user of this product determines its suitability for his particular application and comply with all environmental and workplace regulations.

Disclaimer Statement:

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.